

In the name of Allah, the Most Gracious, the Most Merciful

Al-Saqri foundation for military sciences

Present

Alternative HMTD Preparation



With recent attacks using the mother of Satan explosive, law enforcement has become more concerned about hydrogen peroxide. Sellers of this material are now more suspicious of brothers who wish to buy their product. A substitute for hydrogen peroxide exists that can be purchased with no concern. This chemical is called carbamide peroxide or urea peroxide and is used to make water pure. Although our attempts to make Mother of Satan with it have failed, we have found it to work in the preparation of the other initiating primer explosive HMTD. The recipe to make it is simple and will allow production of enough material to produce multiple priming charges.

Chemicals Required:

- Carbamide Peroxide
- Hexamine (white coal)
- Citric Acid


Equipment Required:

- 500 mL Beaker
- Heating Plate
- Coffee Filter Paper
- Glass Stirrer
- Funnel

Preparation:

Step 1 – to the 500 mL beaker 35 grams of carbamide peroxide solid is added.


Step 2 – To the peroxide add 70 mL of water. Stir the mixture well until all the solid has dissolved.




Step 3 – Add 8 grams of hexamine to the beaker and stir again until it is dissolved.

Step 4 – Slowly add 65 grams of citric acid to the beaker. The acid will create the reaction between the peroxide and hexamine. Add 10 grams at a time and stir to dissolve. Repeat until all the acid is dissolved.


Step 5 – When all solid is gone put the beaker on the heating plate. Heat solution until it is 45 C. Do not allow temperature to rise about 60 C or the primer can explode. Heat for 2 hours. Solution should turn cloudy and thick. Turn off heat and let HMTD settle to bottom of beaker.



Step 6 – Take a coffee filter and put it in a funnel. Pour solution through filter and collect white solid. Rinse solid with 50 mL of cold water.



Step 7 – Take filter paper out of a funnel and let white powder sit and dry in air. When powder does not stick to filter paper and longer it is dry. Dry powder needs to be handled carefully as it is very sensitive.



When dry the HMTD is ready to be put in tube to create the priming charge. Use 3 grams of HMTD in each charge.

Done

And Allah is the one who provides success

To contact Al-Saqari Foundation send the keyword "link"
to receive our communication bot to:

@**sqr11bot**

If the bot is deleted get the new bot by sending an email to:

Alsaqri1@proton.me

Or

Threema: **S76X3DEV**

Threema: **YFEX8RYE**

